PAIN® 143 (2009) 268–270

PAIN®

www.elsevier.com/locate/pain

Author Index to Volume 143 (2009)

Aasly, J., see Nilsen, K.B., **143** 155
Alonso, J., see Von Korff, M., **143** 76
Angermeyer, M., see Von Korff, M., **143** 76
Anton, F., Chronic stress and pain – A plea for a concerted research program, **143** 163

Baccei, M.L., see Li, J., **143** 56
Baeyens, J.M., see Entrena, J.M., **143** 252
Bagnall, A.-M., see Bennett, M.I., **143** 192
Baumgärtner, U., see Jantsch, H.H.F., **143** 97
Bennett, M.I., Bagnall, A.-M., Closs, S.J., How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143** 193
Biasiotta, A., see Cruccu, G., **143** 186
Birklein, F., see Jantsch, H.H.F., **143** 97
Birklein, F., see Kohr, D., **143** 246
Blaes, F., see Kohr, D., **143** 246
Blosa, M., see Stanchev, D., **143** 26
Bohus, M., see Kraus, A., **143** 179
Bookman, A.A.M., see Simon, L.S., **143** 238
Boroujerdi, A., see Kim, D.-s., **143** 114
Bruffaerts, R., see Von Korff, M., **143** 76

Carlson, B., see Holroyd, K.A., **143** 214
Ceci, A., see Hu, B., **143** 207
Cendán, C.M., see Entrena, J.M., **143** 252
Cepeda, I.L., see Grunau, R.E., **143** 138
Chang, Y.-S., see Peng, H.-Y., **143** 12
Chen, G.-D., see Peng, H.-Y., **143** 12
Chen, J.-Y., see Yang, R.-H., **143** 48
Chen, L., Malarick, C., Seefeld, L., Wang, S., Houghton, M., Mao, J., Altered quantitative sensory testing outcome in subjects with opioid therapy, **143** 65
Cheng, C.-L., see Peng, H.-Y., **143** 12
Chiu, C.-H., see Peng, H.-Y., **143** 12
Choo, E., see von Baeyer, C.L., **143** 224
Clauw, D.J., see Hsu, M.C., **143** 262
Clauw, D.J., Williams, D.A.Hsu, M.C., Harris, R.E., Sundgren, P.C., Welsh, R.C., Fernandes, C.R., , No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143** 262
Closs, S.J., see Bennett, M.I., **143** 192
Cobos, E.J., see Entrena, J.M., **143** 252
Connelly, M.A., see von Baeyer, C.L., **143** 223
Crombez, G., see Goubert, L., **143** 5
Cruccu, G., Biasiotta, A., Di Rezze, S., Fiorelli, M., Galeotti, F., Innocenti, P., Mameli, S., Millefiorini, E., Truini, A., Trigeminal neuralgia and pain related to multiple sclerosis, **143** 186
Currie, T., see King, C.D., **143** 172

Dahl, J.B., Møiniche, S., Relief of postoperative pain by local anaesthetic infiltration: Efficacy for major abdominal and orthopedic surgery, **143** 7
David Luo, Z., see Kim, D.-s., **143** 114
Davies, K.A., Macfarlane, G.J., McBeth, J., Morriss, R., Dickens, C., Insecure attachment style is associated with chronic widespread pain, **143** 201
de Boer, K.S., see Rijn, M.A.v., **143** 41
de Girolamo, G., see Von Korff, M., **143** 76
Decety, J., see Yamada, M., **143** 71
Del Pozo, E., see Entrena, J.M., **143** 252
Delhaas, E.M., see Rijn, M.A.v., **143** 41
Di Rezze, S., see Cruccu, G., **143** 186
Dickens, C., see Davies, K.A., **143** 200
Diener, M., see Kohr, D., **143** 246
Doods, H., see Hu, B., **143** 206
Dunbar, M., see Sullivan, M., **143** 123
Dwonkin, R.H., see Vo, T., **143** 169

Entrena, J.M., Cobos, E.J., Nieto, F.R., Cendán, C.M., Gris, G., Del Pozo, E., Zamanillo, D., Baeyens, J.M., Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143** 252
Eschrich, K., see Stanchev, D., **143** 26

Fallaha, M., see Sullivan, M., **143** 123
Fan, X., see Li, L., **143** 37
Fernandes, C.R., see Hsu, M.C., **143** 262
Figueroa, K.W., see Kim, D.-s., **143** 114
Fillingim, R.B., see King, C.D., **143** 172
Fiorelli, M., see Cruccu, G., **143** 186
Fleiz, C., see Von Korff, M., **143** 76
Fritz, T., see Kohr, D., **143** 246

Gagliese, L., see Gauthier, L.R., **143** 147
Galeotti, F., see Cruccu, G., **143** 187
Gauthier, L.R., Rodin, G., Zimmermann, C., Warr, D., Moore, M., Shepherd, F., Gagliese, L., Acceptance of pain: A study in patients with advanced cancer, **143** 147
Gawlitza, M., see Jantsch, H.H.F., **143** 97
Gear, R.W., see Tambeli, C.H., **143** 228
Geber, C., see Jantsch, H.H.F., **143** 97
George, S.Z., see Hirsh, A.T., **143** 106
Gerevich, Z., see Stanchev, D., **143** 26
Geuze, E., see Kraus, A., **143** 179
Goubert, L., Vervoort, T., Crombez, G., Pain demands attention from others: The approach/avoidance paradox, **143** 5
Greffrath, W., see Kraus, A., **143** 179
Grierson, L.M., see Simon, L.S., **143** 238
Gris, G., see Entrena, J.M., **143** 252

doi:10.1016/S0304-3959(09)00228-0

Groblewski, T., see Ndong, C., **143** 130
Grunau, R.E., Whitfield, M.F., Petrie-Thomas, J., Synnes, A.R., Cepeda, I.L., Keidar, A., Rogers, M., MacKay, M., Hubber-Richard, P., Johannesen, D., Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143** 138
Gustafsson, J.-Å., see Li, L., **143** 37

Han, H., see Zhang, G.H., **143** 233
Han, H.C., see Zhang, G.H., **143** 233
Hansson, P., see Tuveson, B., **143** 84
Harris, R.E., see Hsu, M.C., **143** 262
Heneweer, H., Vanhees, L., Picavet, H.S.J., Physical activity and low back pain: A U-shaped relation? **143** 21
Hirsh, A.T., George, S.Z., Robinson, M.E., Pain assessment and treatment disparities: A virtual human technology investigation, **143** 106
Hoffert, C., see Ndong, C., **143** 130
Holroyd, K.A., Labus, J.S., Carlson, B., Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143** 213
Houghton, M., see Chen, L., **143** 65
Hsieh, M.-C., see Peng, H.-Y., **143** 12
Hu, B., Doods, H., Treede, R.-D., Ceci, A., Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833, **143** 206
Hu, S.-J., see Yang, R.-H., **143** 48
Hubber-Richard, P., see Grunau, R.E., **143** 138

Illes, P., see Stanchev, D., **143** 26
Innocenti, P., see Cruccu, G., **143** 186

Jantsch, H.H.F., Gawlitza, M., Geber, C., Baumgärtner, U., Krämer, H.H., Magerl, W., Treede, R.D., Birklein, F., Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings, **143** 97
Johannesen, D., see Grunau, R.E., **143** 138
Jones, G.T., Power, C., Macfarlane, G.J., Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study, **143** 92

Kaps, M., see Kohr, D., **143** 246
Keefe, F.J., see Sullivan, M., **143** 123
Keidar, A., see Grunau, R.E., **143** 138
Kessler, R.C., see Von Korff, M., **143** 76
Kim, D.-s., Figueroa, K.W., Li, K.-W., Boroujerdi, A., Yolo, T., Luo, Z.D., Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143** 114
Kim, Y.I., see Zhang, G.H., **143** 233
King, C.D., Wong, F., Currie, T., Mauderli, A.P., Fillingim, R.B., Riley 3rd, J.L., Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143** 172
Kohr, D., Tschernatsch, M., Schmitz, K., Singh, P., Kaps, M., Schäfer, K.-H., Diener, M., Mathies, J., Matz, O., Kummer, W., Maihöfner, C., Fritz, T., Birklein, F., Blaes, F., Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143** 246
Kovess-Masfety, V., see Von Korff, M., **143** 76
Krämer, H.H., see Jantsch, H.H.F., **143** 97
Kraus, E. A., Geuze, E., Schmahl, C., Greffrath, W., Treede, R.-D., Bohus, M., Vermetten,, Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143** 179
Kummer, W., see Kohr, D., **143** 246

Labus, J.S., see Holroyd, K.A., **143** 213
Lai, C.-Y., see Peng, H.-Y., **143** 12
Laird, J.M.A., see Pradhan, A., **143** 131
Lee, K.S., see Zhang, G.H., **143** 233
Lee, S.-D., see Peng, H.-Y., **143** 12
Leffler, A.-S., see Tuveson, B., **143** 84
Levine, J.D., see Tambeli, C.H., **143** 228
Li, J., Baccei, M.L., Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143** 56
Li, K.-W., see Kim, D.-s., **143** 114
Li, L., Fan, X., Warner, M., Xu, X.-J., Gustafsson, J.-Å., Wiesenfeld-Hallin, Z., Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143** 37
Lin, T.-B., see Peng, H.-Y., **143** 12

Macfarlane, G.J., see Jones, G.T., **143** 92
Macfarlane, G.J., see Davies, K.A., **143** 200
MacKay, M., see Grunau, R.E., **143** 138
Magerl, W., see Jantsch, H.H.F., **143** 97
Maihöfner, C., see Kohr, D., **143** 246
Malarick, C., see Chen, L., **143** 65
Mameli, S., see Cruccu, G., **143** 186
Mao, J., see Chen, L., **143** 65
Marinus, J., see Rijn, M.A.v., **143** 41
Mathies, J., see Kohr, D., **143** 246
Matz, O., see Kohr, D., **143** 246
Mauderli, A.P., see King, C.D., **143** 173
McBeth, J., see Davies, K.A., **143** 200
McCormick, J.C., see von Baeyer, C.L., **143** 224
Mellgren, S.I., see Nilsen, K.B., **143** 155
Merskey, H., Nociception in Kyoto, **143** 159
Milius, D., see Stanchev, D., **143** 26
Millefiorini, E., see Cruccu, G., **143** 187
Min, S.S., see Zhang, G.H., **143** 233
Møiniche, S., see Dahl, J.B., **143** 7
Moore, M., see Gauthier, L.R., **143** 147
Morello, J.-P., see Ndong, C., **143** 130
Morriss, R., see Davies, K.A., **143** 200
Munts, A.G., see Rijn, M.A.v., **143** 41

Naseer, Z., see Simon, L.S., **143** 238
Nebuchennykh, M., see Nilsen, K.B., **143** 155
Neville, K., see von Baeyer, C.L., **143** 223
Ndong, C., Pradhan, A., Puma, C., Morello, J.-P., Hoffert, C., Groblewski, T., O'Donnell, D., Laird, J.M.A., Role of rat sensory neuron-specific receptor (rSNSR1) in inflammatory pain: Contribution of TRPV1 to SNSR signaling in the pain pathway, **143** 130
Nicholas, A.K., see Nilsen, K.B., **143** 155
Nieto, F.R., see Entrena, J.M., **143** 252
Nilsen, K.B., Nicholas, A.K., Woods, C.G., Mellgren, S.I., Nebuchennykh, M., Aasly, J., Two novel SCN9A mutations causing insensitivity to pain, **143** 155
Nurmikko, T.J., Pathophysiology of MS-related trigeminal neuralgia, **143** 165

O'Donnell, D., see Ndong, C., **143** 130
Ormel, J., see Von Korff, M., **143** 76

Peng, H.-Y., Chen, G.-D., Lee, S.-D., Lai, C.-Y., Chiu, C.-H., Cheng, C.-L., Chang, Y.-S., Hsieh, M.-C., Tung, K.-C., Lin, T.-B., Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes, **143** 12
Petrie-Thomas, J., see Grunau, R.E., **143** 138
Picavet, H.S.J., see Heneweer, H., **143** 21
Posada-Villa, J., see Von Korff, M., **143** 76
Power, C., see Jones, G.T., **143** 92

Pradhan, A., see Ndong, C., **143** 130
Puma, C., see Ndong, C., **143** 130

Raja, S.N., Motor dysfunction in CRPS and its treatment, **143** 3
Rice, A.S.C., see Vo, T., **143** 169
Riley 3rd, J.L., see King, C.D., **143** 172
Robinson, M.E., see Hirsh, A.T., **143** 106
Rodin, G., see Gauthier, L.R., **143** 147
Roesel, T., Does the central nervous system play a role in vitamin D deficiency-related chronic pain? **143** 159
Rogers, M., see Grunau, R.E., **143** 138
Rubini, P., see Stanchev, D., **143** 26

Schaefer, M., see Stanchev, D., **143** 26
Schäfer, K.-H., see Kohr, D., **143** 246
Schiltenwolf, M., Schneider, S., Activity and low back pain: A dubious correlation, **143** 1
Schmahl, C., see Kraus, A., **143** 179
Schmalzing, G., see Stanchev, D., **143** 26
Schmitz, K., see Kohr, D., **143** 246
Schneider, S., see Schiltenwolf, M., **143** 1
Scott, K.M., see Von Korff, M., **143** 76
Seefeld, L., see Chen, L., **143** 65
Seers, K., What works for whom, when and how? **143** 167
Seol, G.H., see Zhang, G.H., **143** 233
Shepherd, F., see Gauthier, L.R., **143** 147
Simmonds, M., see Sullivan, M., **143** 123
Simon, L.S., Grierson, L.M., Naseer, Z., Bookman, A.A.M., Zev Shainhouse, J., Efficacy and safety of topical diclofenac containing dimethyl sulfoxide (DMSO) compared with those of topical placebo, DMSO vehicle and oral diclofenac for knee osteoarthritis, **143** 238
Singh, P., see Kohr, D., **143** 246
Spagrud, L.J., see von Baeyer, C.L., **143** 223
Stanchev, D., Blosa, M., Milius, D., Gerevich, Z., Rubini, P., Schmalzing, G., Eschrich, K., Schaefer, M., Wirkner, K., Illes, P., Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143** 26
Stanish, W., see Sullivan, M., **143** 123
Sullivan M., M., Tanzer, W., Stanish, M., Fallaha, F.J., Keefe, M., Simmonds, M., Dunbar, Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143** 123
Sundgren, P.C., see Hsu, M.C., **143** 262
Synnes, A.R., see Grunau, R.E., **143** 138

Tambeli, C.H., Levine, J.D., Gear, R.W., Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143** 228
Tanzer, M., see Sullivan, M., **143** 123
Teepe-Twiss, I.M., see Rijn, M.A., **143** 41
Treede, R.-D., see Hu, B., **143** 206
Treede, R.-D., see Kraus, A., **143** 179
Treede, R.D., see Jantsch, H.H.F., **143** 96
Truini, A., see Cruccu, G., **143** 186
Tschernatsch, M., see Kohr, D., **143** 246
Tung, K.-C., see Peng, H.-Y., **143** 12
Tuveson, B., Leffler, A.-S., Hansson, P., Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143** 84

Uda, H., see Von Korff, M., **143** 76

van Dasselaar, N.T., see Rijn, M.A.v., **143** 41
van Hilten, J.J., see Rijn, M.A.v., **143** 41
van Rijn, M.A., Munts, A.G., Marinus, J., Voormolen, J.H.C., de Boer, K.S., Teepe-Twiss, I.M., van Dasselaar, N.T., Delhaas, E.M., van Hilten, J.J., Intrathecal baclofen for dystonia of complex regional pain syndrome, **143** 41
Vanhees, L., see Heneweer, H., **143** 21
Vermetten, E., see Kraus, A., **143** 179
Vervoort, T., see Goubert, L., **143** 5
Villanueva, L., Diffuse Noxious Inhibitory Control (DNIC) as a tool for exploring dysfunction of endogenous pain modulatory systems, **143** 161
Vo, T., Rice, A.S.C., Dworkin, R.H., Non-steroidal anti-inflammatory drugs for neuropathic pain: How do we explain continued widespread use, **143** 169
von Baeyer, C.L., Spagrud, L.J., McCormick, J.C., Choo, E., Neville, K., Connelly, M.A., Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143** 223
Von Korff, M., Alonso, J., Ormel, J., Angermeyer, M., Bruffaerts, R., Fleiz, C., de Girolamo, G., Kessler, R.C., Kovess-Masfety, V., Posada-Villa, J., Scott, K.M., Uda, H., Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143** 76
Voormolen, J.H.C., see Rijn, M.A.v., **143** 41

Wang, S., see Chen, L., **143** 65
Wang, W.-T., see Yang, R.-H., **143** 48
Warner, M., see Li, L., **143** 37
Warr, D., see Gauthier, L.R., **143** 147
Welsh, R.C., see Hsu, M.C., **143** 262
Whitfield, M.F., see Grunau, R.E., **143** 138
Wiesenfeld-Hallin, Z., see Li, L., **143** 37
Williams, D.A., see Hsu, M.C., **143** 262
Wirkner, K., see Stanchev, D., **143** 26
Wong, F., see King, C.D., **143** 172
Woods, C.G., see Nilsen, K.B., **143** 155

Xie, R.-G., see Yang, R.-H., **143** 48
Xu, X.-J., see Li, L., **143** 37

Yamada, M., Decety, J., Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143** 71
Yang, R.-H., Wang, W.-T., Chen, J.-Y., Xie, R.-G., Hu, S.-J., Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143** 48
Yolo, T., see Kim, D.-s., **143** 114

Zamanillo, D., see Entrena, J.M., **143** 252
Zev Shainhouse, J., see Simon, L.S., **143** 238
Zhang, G.H., Min, S.S., Seol, G.H., Lee, K.S., Han, H., Kim, Y.I., Han, H.C., Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143** 233
Zimmermann, C., see Gauthier, L.R., **143** 147

PAIN® 143 (2009) 271–275

PAIN®

www.elsevier.com/locate/pain

Subject Index to Volume 143 (2009)

Animal models
Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833, **143**, 206
Antidepressant medication
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
Antineuronal
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Antinociception
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 229
Arthritic pain
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143**, 233
Arthritis
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
Arthritis
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Assessment
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
ATP
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Attachment
Insecure attachment style is associated with chronic widespread pain, **143**, 200
Autoantibodies
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Autoimmunity
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Autonomic nervous system
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Avoidance
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Baclofen
Intrathecal baclofen for dystonia of complex regional pain syndrome, **143**, 41
Cancer pain
Acceptance of pain: A study in patients with advanced cancer, **143**, 147
Cancer pain
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143**, 192
Capsaicin
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 228
Capsaicin
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Capsaicin
Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings, **143**, 97
Capsaicin
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Catastrophizing
Acceptance of pain: A study in patients with advanced cancer, **143**, 147
Central post-stroke pain
Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143**, 84
Channelopathy-associated insensitivity to pain
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Child
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Childhood adversity
Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study, **143**, 92
Chronic
Physical activity and low back pain: A U-shaped relation? **143**, 21
Chronic disease
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
Chronic tension-type headache
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
Chronic widespread pain
Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study, **143**, 92
Chronic widespread pain
Insecure attachment style is associated with chronic widespread pain, **143**, 200

doi:10.1016/S0304-3959(09)00229-2

CIP
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Clinical pain
Altered quantitative sensory testing outcome in subjects with opioid therapy, **143**, 65
Clinical trial
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
Combat-related trauma
Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143**, 179
Comorbidity
Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833, **143**, 206
Complex regional pain syndrome
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Complex regional pain syndrome
Intrathecal baclofen for dystonia of complex regional pain syndrome, **143**, 41
Congenital indifference to pain
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Decision policies
Pain assessment and treatment disparities: A virtual human technology investigation, **143**, 106
Depression
Acceptance of pain: A study in patients with advanced cancer, **143**, 147
Depression
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262
Depression
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Depression-like behaviour
Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833, **143**, 206
Development
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56
Diffuse Noxious Inhibitory Control
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Disparities
Pain assessment and treatment disparities: A virtual human technology investigation, **143**, 106
Dorsal horn
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56
Dorsal root ganglia
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
Dorsal root ganglia
Role of rat sensory neuron-specific receptor (rSNSR1) in inflammatory pain: Contribution of TRPV1 to SNSR signaling in the pain pathway, **143**, 130
Dorsal root ganglion
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Dorsal root ganglion
Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143**, 48
Dynamic mechanical allodynia
Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143**, 84
Dysfunction
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Dystonia
Intrathecal baclofen for dystonia of complex regional pain syndrome, **143**, 41
Education
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143**, 192
Empathy
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Endogenous pain modulation
Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143**, 84
Epidemiology
Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study, **143**, 92
Epidemiology
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
Epidemiology
Insecure attachment style is associated with chronic widespread pain, **143**, 200
Estrus cycle
Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes, **143**, 12
Explicit episodic pain memory
Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings, **143**, 97
Fear of movement
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Female
Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143**, 37
Fibromyalgia
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262
Focal heat pain
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Gabapentin
Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143**, 48
GFAP
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
Glutamate
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56

Gonadal hormones
Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143**, 37
GPCR
Role of rat sensory neuron-specific receptor (rSNSR1) in inflammatory pain: Contribution of TRPV1 to SNSR signaling in the pain pathway, **143**, 130
Gray matter
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262
Heat hyperalgesia
Role of rat sensory neuron-specific receptor (rSNSR1) in inflammatory pain: Contribution of TRPV1 to SNSR signaling in the pain pathway, **143**, 130
HEK293 cell
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Heterotopic noxious conditioning stimulation
Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143**, 84
Hyperalgesia
Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes, **143**, 12
Hyperalgesia
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Immune system
Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen, **143**, 246
Indifference to pain
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Inflammation
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56
Injury
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
Interaction
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143**, 233
Intrathecal
Intrathecal baclofen for dystonia of complex regional pain syndrome, **143**, 41
Irritable Bowel Syndrome
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Knee pain
Efficacy and safety of topical diclofenac compared with those of topical placebo, dimethyl sulfoxide vehicle and oral diclofenac for knee osteoarthritis, **143**, 238
Knockout mice
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Knowledge
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143**, 192
Low back pain
Physical activity and low back pain: A U-shaped relation? **143**, 21
Male
Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143**, 37
Mechanical allodynia
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Mediator
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
Meta-analysis
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143**, 192
Moderator
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
MRI
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262
MRI
Trigeminal neuralgia and pain related to multiple sclerosis, **143**, 186
Multiple sclerosis
Trigeminal neuralgia and pain related to multiple sclerosis, **143**, 186
NaV1.7
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Neonatal
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56
Neonatal
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Neurodevelopment
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Neuropathic pain
Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833, **143**, 206
Neuropathic pain
Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143**, 48
Neuropathic pain
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
NMDA
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143**, 233
Nociception
Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143**, 37
NRS
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
NRS-11
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223

NSAID
Efficacy and safety of topical diclofenac compared with those of topical placebo, dimethyl sulfoxide vehicle and oral diclofenac for knee osteoarthritis, **143**, 238
Nucleus accumbens
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 229
Numerical Rating Scale
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Olfaction
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Opioid
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143**, 233
Opioid therapy
Altered quantitative sensory testing outcome in subjects with opioid therapy, **143**, 65
Opioid-induced hyperalgesia
Altered quantitative sensory testing outcome in subjects with opioid therapy, **143**, 65
Osteoarthritis
Efficacy and safety of topical diclofenac compared with those of topical placebo, dimethyl sulfoxide vehicle and oral diclofenac for knee osteoarthritis, **143**, 238
$P2X_3$ receptor
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Pain
Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143**, 179
Pain
Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings, **143**, 97
Pain
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Pain
Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal GABAA receptor subtypes, **143**, 12
Pain
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262
Pain
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Pain
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Pain acceptance
Acceptance of pain: A study in patients with advanced cancer, **143**, 147
Pain assessment
Pain assessment and treatment disparities: A virtual human technology investigation, **143**, 106
Pain behavior
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Pain catastrophizing
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Pain intensity
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis, **143**, 192
Pain intensity
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Pain measurement
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Pain memory
Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings, **143**, 97
Pain modulation
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Pain scale
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Pain thresholds
Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143**, 179
Pain treatment
Pain assessment and treatment disparities: A virtual human technology investigation, **143**, 106
Pain-induced analgesia
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 229
Parent
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Patch-clamp
Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development, **143**, 56
Pediatric
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Peripheral nerve
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
Periphery
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery, **143**, 233
Persistent sodium current
Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143**, 48
Physical activity
Physical activity and low back pain: A U-shaped relation? **143**, 21
Plasticity
Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors, **143**, 114
Posttraumatic stress disorder
Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143**, 179
Premature infants
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Prevention
Physical activity and low back pain: A U-shaped relation? **143**, 21

Progesterone
Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes, **143**, 12
Psychological disorders
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
Psychophysics
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
Psychosocial adaptation
Acceptance of pain: A study in patients with advanced cancer, **143**, 147
Psychosocial stressors
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
Quantitative sensory testing
Altered quantitative sensory testing outcome in subjects with opioid therapy, **143**, 65
Quantitative sensory testing
Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients, **143**, 84
Rat
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 229
Receptor interaction
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
Resonance
Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons, **143**, 48
Risk factors
Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load, **143**, 76
SCN9A
Two novel SCN9A mutations causing insensitivity to pain, **143**, 155
Self-report
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity, **143**, 223
Sensory thresholds
Differentiation of pain ratings in combat-related posttraumatic stress disorder, **143**, 179
Sigma-1 receptors
Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice, **143**, 252
Signal detection theory
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Spinal cord
Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice, **143**, 37
Spinal cord
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord, **143**, 229
Spinal cord
Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes, **143**, 12
Stress
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants, **143**, 138
Stress-management therapy
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity, **143**, 213
Subliminal priming
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Surgical outcomes
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Sympathy
Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions, **143**, 71
Temporomandibular Disorder
Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder, **143**, 172
TKA
Psychological determinants of problematic outcomes following Total Knee Arthroplasty, **143**, 123
Topical diclofenac
Efficacy and safety of topical diclofenac compared with those of topical placebo, dimethyl sulfoxide vehicle and oral diclofenac for knee osteoarthritis, **143**, 238
TREND study
Intrathecal baclofen for dystonia of complex regional pain syndrome, **143**, 41
Trigeminal neuralgia
Trigeminal neuralgia and pain related to multiple sclerosis, **143**, 186
Trigeminal pain
Trigeminal neuralgia and pain related to multiple sclerosis, **143**, 186
Trigeminal reflexes
Trigeminal neuralgia and pain related to multiple sclerosis, **143**, 186
TRPV1 receptor
Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors, **143**, 26
U-shape
Physical activity and low back pain: A U-shaped relation?, **143**, 21
Virtual technology
Pain assessment and treatment disparities: A virtual human technology investigation, **143**, 106
Voxel-based morphometry
No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder, **143**, 262

PAIN® 143 (2009) 276–278

PAIN®

www.elsevier.com/locate/pain

Contents to Volume 143 (2009)

Numbers 1–2 – May 2009

EDITORIALS

Activity and low back pain: A dubious correlation
M. Schiltenwolf, S. Schneider (Germany) 1

Motor dysfunction in CRPS and its treatment
S.N. Raja (USA) 3

Pain demands attention from others: The approach/avoidance paradox
L. Goubert, T. Vervoort, G. Crombez (Belgium, The Netherlands) 5

TOPICAL REVIEW

Relief of postoperative pain by local anaesthetic infiltration: Efficacy for major abdominal and orthopedic surgery
J.B. Dahl, S. Møiniche (Denmark) 7

RESEARCH PAPERS

Neuroactive steroids inhibit spinal reflex potentiation by selectively enhancing specific spinal $GABA_A$ receptor subtypes
H.-Y. Peng, G.-D. Chen, S.-D. Lee, C.-Y. Lai, C.-H. Chiu, C.-L. Cheng, Y.-S. Chang, M.-C. Hsieh, K.-C. Tung, T.-B. Lin (Taiwan) 12

Physical activity and low back pain: A U-shaped relation?*
H. Heneweer, L. Vanhees, H.S.J. Picavet (The Netherlands, Belgium) 21

Cross-inhibition between native and recombinant TRPV1 and $P2X_3$ receptors
D. Stanchev, M. Blosa, D. Milius, Z. Gerevich, P. Rubini, G. Schmalzing, K. Eschrich, M. Schaefer, K. Wirkner, P. Illes (Germany) 26

Ablation of estrogen receptor α or β eliminates sex differences in mechanical pain threshold in normal and inflamed mice
L. Li, X. Fan, M. Warner, X.-J. Xu, J.-Å. Gustafsson, Z. Wiesenfeld-Hallin (Sweden) 37

Intrathecal baclofen for dystonia of complex regional pain syndrome*
M.A. van Rijn, A.G. Munts, J. Marinus, J.H.C. Voormolen, K.S. de Boer, I.M. Teepe-Twiss, N.T. van Dasselaar, E.M. Delhaas, J.J. van Hilten (The Netherlands) 41

Gabapentin selectively reduces persistent sodium current in injured type-A dorsal root ganglion neurons
R.-H. Yang, W.-T. Wang, J.-Y. Chen, R.-G. Xie, S.-J. Hu (PR China) 48

Excitatory synapses in the rat superficial dorsal horn are strengthened following peripheral inflammation during early postnatal development
J. Li, M.L. Baccei (USA) 56

Altered quantitative sensory testing outcome in subjects with opioid therapy
L. Chen, C. Malarick, L. Seefeld, S. Wang, M. Houghton, J. Mao (USA) 65

Unconscious affective processing and empathy: An investigation of subliminal priming on the detection of painful facial expressions*
M. Yamada, J. Decety (USA) 71

Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load
M. Von Korff, J. Alonso, J. Ormel, M. Angermeyer, R. Bruffaerts, C. Fleiz, G. de Girolamo, R.C. Kessler, V. Kovess-Masfety, J. Posada-Villa, K.M. Scott, H. Uda (USA, Spain, The Netherlands, Germany, Belgium, Mexico, Italy, France, Colombia, New Zealand, Japan) 76

Influence of heterotopic noxious conditioning stimulation on spontaneous pain and dynamic mechanical allodynia in central post-stroke pain patients
B. Tuveson, A.-S. Leffler, P. Hansson (Sweden) 84

Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study
G.T. Jones, C. Power, G.J. Macfarlane (UK) 92

Explicit episodic memory for sensory-discriminative components of capsaicin-induced pain: Immediate and delayed ratings
H.H.F. Jantsch, M. Gawlitza, C. Geber, U. Baumgärtner, H.H. Krämer, W. Magerl, R.D. Treede, F. Birklein (Germany) 97

Pain assessment and treatment disparities: A virtual human technology investigation
A.T. Hirsh, S.Z. George, M.E. Robinson (USA) 106

Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acetic protein in maintenance of pain behaviors
D.-s. Kim, K.W. Figueroa, K.-W. Li, A. Boroujerdi, T. Yolo, Z.D. Luo (USA) 114

Psychological determinants of problematic outcomes following Total Knee Arthroplasty
M. Sullivan, M. Tanzer, W. Stanish, M. Fallaha, F.J. Keefe, M. Simmonds, M. Dunbar (Canada) 123

doi:10.1016/S0304-3959(09)00230-9

Role of rat sensory neuron-specific receptor (rSNSR1) in inflammatory pain: Contribution of TRPV1 to SNSR signaling in the pain pathway
C. Ndong, A. Pradhan, C. Puma, J.-P. Morello, C. Hoffert, T. Groblewski, D. O'Donnell, J.M.A. Laird (Canada) 130
Neonatal pain, parenting stress and interaction, in relation to cognitive and motor development at 8 and 18 months in preterm infants
R.E. Grunau, M.F. Whitfield, J. Petrie-Thomas, A.R. Synnes, I.L. Cepeda, A. Keidar, M. Rogers, M. MacKay, P. Hubber-Richard, D. Johannesen (Canada) 138
Acceptance of pain: A study in patients with advanced cancer
L.R. Gauthier, G. Rodin, C. Zimmermann, D. Warr, M. Moore, F. Shepherd, L. Gagliese (Canada) 147

CLINICAL NOTE

Two novel SCN9A mutations causing insensitivity to pain
K.B. Nilsen, A.K. Nicholas, C.G. Woods, S.I. Mellgren, M. Nebuchennykh, J. Aasly (Norway, UK) 155

LETTERS TO THE EDITOR

Nociception in Kyoto
H. Merskey (Canada) 159
Does the central nervous system play a role in vitamin D deficiency-related chronic pain?
T.R. Roesel (USA) 159

*An Editorial regarding this article can be found in this issue of *PAIN*®

Number 3 – June 2009

EDITORIALS

Diffuse Noxious Inhibitory Control (DNIC) as a tool for exploring dysfunction of endogenous pain modulatory systems
L. Villanueva (France) 161
Chronic stress and pain – A plea for a concerted research program
F. Anton (Luxembourg) 163
Pathophysiology of MS-related trigeminal neuralgia
T.J. Nurmikko (UK) 165
What works for whom, when and how?
K. Seers (UK) 167

TOPICAL REVIEW

Non-steroidal anti-inflammatory drugs for neuropathic pain: How do we explain continued widespread use?
T. Vo, A.S.C. Rice, R.H Dworkin (USA, UK) 169

RESEARCH PAPERS

Deficiency in endogenous modulation of prolonged heat pain in patients with Irritable Bowel Syndrome and Temporomandibular Disorder*
C.D. King, F. Wong, T. Currie, A.P. Mauderli, R.B. Fillingim, J.L. Riley 3rd (USA) 172
Differentiation of pain ratings in combat-related posttraumatic stress disorder*
A. Kraus, E. Geuze, C. Schmahl, W. Greffrath, R.-D. Treede, M. Bohus, E. Vermetten (Germany, The Netherlands) 179
Trigeminal neuralgia and pain related to multiple sclerosis*
G. Cruccu, A. Biasiotta, S. Di Rezze, M. Fiorelli, F. Galeotti, P. Innocenti, S. Mameli, E. Millefiorini, A. Truini (Italy) 186
How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis*
M.I. Bennett, A.-M. Bagnall, S.J. Closs (UK) 192
Insecure attachment style is associated with chronic widespread pain
K.A. Davies, G.J. Macfarlane, J. McBeth, R. Morriss, C. Dickens (UK) 200
Depression-like behaviour in rats with mononeuropathy is reduced by the CB2-selective agonist GW405833
B. Hu, H. Doods, R.-D. Treede, A. Ceci (Germany) 206
Moderation and mediation in the psychological and drug treatment of chronic tension-type headache: The role of disorder severity and psychiatric comorbidity
K.A. Holroyd, J.S. Labus, B. Carlson (USA) 213
Three new datasets supporting use of the Numerical Rating Scale (NRS-11) for children's self-reports of pain intensity
C.L. von Baeyer, L.J. Spagrud, J.C. McCormick, E. Choo, K. Neville, M.A. Connelly (Canada, USA) 223
Centralization of noxious stimulus-induced analgesia (NSIA) is related to activity at inhibitory synapses in the spinal cord
C.H. Tambeli, J.D. Levine, R.W. Gear (USA, Brazil) 228
Inhibition of the *N*-methyl-D-aspartate receptor unmasks the antinociception of endogenous opioids in the periphery
G.H. Zhang, S.S. Min, G.H. Seol, K.S. Lee, H. Han, Y.I. Kim, H.C. Han (Republic of Korea) 233
Efficacy and safety of topical diclofenac containing dimethyl sulfoxide (DMSO) compared with those of topical placebo, DMSO vehicle and oral diclofenac for knee osteoarthritis
L.S. Simon, L.M. Grierson, Z. Naseer, A.A.M. Bookman, J. Zev Shainhouse (USA, Canada) 238

Autoantibodies in complex regional pain syndrome bind to a differentiation-dependent neuronal surface autoantigen
D. Kohr, M. Tschernatsch, K. Schmitz, P. Singh, M. Kaps, K.-H. Schäfer, M. Diener, J. Mathies, O. Matz, W. Kummer, C. Maihöfner, T. Fritz, F. Birklein, F. Blaes (Germany) 246

Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice
J.M. Entrena, E.J. Cobos, F.R. Nieto, C.M. Cendán, G. Gris, E. Del Pozo, D. Zamanillo, J.M. Baeyens (Spain) 252

No consistent difference in gray matter volume between individuals with fibromyalgia and age-matched healthy subjects when controlling for affective disorder
M.C. Hsu, R.E. Harris, P.C. Sundgren, R.C. Welsh, C.R. Fernandes, D.J. Clauw, D.A. Williams (USA) 262

Author Index to Volume 143 268

Subject Index to Volume 143 271

Contents to Volume 143 276

*An Editorial regarding this article can be found in this issue of *PAIN*®